

zunatur



zunatur



Fruit container

Entry point for fruit

Round rotating system allowing the peel to come out intact, without coming in contact with the juice

Easy to open

Stainless steel filter

Peel remover


Easy disassembly for when cleaning

Peel collecting containers





Alimentador da fruta | Fruit feeder




Start
Stop

Shutdown system detector



Cutting fruit

System for easy disassembly



Precision stainless steel cutting blade

Ultra resistant, very durable stainless steel rods



Adjustable support bases

Stainless steel chassis construction

Drip-proof grille

- Fully automatic squeezer with manual feeder
- Innovative design
- Small, compact size for use in small spaces
- Maximum extraction of juice
- Maximum quickness and convenience of use, designed with ease of operation in mind
- The collecting box is opaque, thus hiding remains and keeping the machine looking clean and elegant while it is in operation
- Quiet
- Fully constructed in stainless steel
- Maintenance -free



zunatur



Motor:

Three-phase
0,25CV

Consumption:

140W

Voltage:

220 V ~ 240 V/50Hz

Production:

36 fruits/minute

Diameter of the fruit:

65 - 80 mm

Weight:

40kg

Dimensions:

Height - 650mm

Width - 420mm

Depth - 320mm

Safety:

Shutdown system using
induction loop sensors

Protection against moisture:


Ipx1

Feeder capacity:

10 kg

3 Years Warranty

Distributed by:



Produced by:

FCL, Lda

Rua do Sistelo, 755 | Armazém 18 | 4435-429 Rio Tinto | Gondomar

Tel. +351 229 719 430 | Fax +351 229 721 349

Email: geral@zunatur.com | Site: www.zunatur.com

